



Military UAV, Commercial & Consumer Drone Systems



Military UAV




Commercial/Industrial



Consumer



Drone & UAV market shift toward commercial & defense applications



Commercial drones & military UAVs represent the largest market opportunity

Global	Consumer	Military	Commercial	Others
				
\$73B in 2024	\$4.1B in 2022	\$41B in 2024	\$30B in 2024	~\$19B in 2024
\$164B by 2030	\$26B by 2030	~\$67B by 2030	\$55B by 2030	~\$50B by 2030
14.3% CAGR	13.3% CAGR	7.6% CAGR	10.6% CAGR	
Growth Drivers				
- Autonomy & AI improvements - Sensor and camera advances - Regulatory progress (BVLOS)	- Camera improvements - Creator economy - Lower cost & ease of use	- ISR & surveillance - Loitering munitions - Attributable/autonomous systems	- Agriculture - Delivery & logistics pilots - Infrastructure inspection - Enterprise analytics/ROI	
Key Applications				
	- Photography/video - FPV racing - Recreational flying	- ISR - Tactical strike - Border surveillance	- Agriculture - Delivery/logistics - Inspection - Public safety	- Government & law enforcement - Drone services - Software
Focus subsegments for Littelfuse				

Source: [Global Market Report](#)

Source: [Consumer Market Report](#)

Source: [Military Market Report](#)

Source: [Commercial Market Report](#)

Source: [Global Market Report](#)



Expertise Applied | Answers Delivered

Drone & UAV system challenges & Littelfuse solutions

Electrical stress & power scaling

- High fault energy (I^2t) in >60 V and kW class systems
- Switching transients (dv/dt) from ESCs and DC-DC converters
- Load dump & unstable DC bus (hybrid/generator systems)

Comprehensive circuit protection

- Fuses, TVS, MOV, PPTC for fault, surge, and transient protection
- Coverage from low-voltage to high-energy HV systems

Interface & connection challenges

- Hot-plug events (USB-C, battery swap, payloads)
- Inrush current from bulk capacitance
- Connector wear, arcing, and resistance drift

Power path control & switching

- MOSFETs, SSRs, contactors for:
 - inrush control
 - battery disconnect/pre-charge
 - safe power switching

Thermal & reliability constraints

- High current density → thermal rise
- Continuous operation (industrial, agriculture, ISR)
- Risk of thermal runaway in Li-ion systems

Thermal & current monitoring

- NTC, TTape™, CSR for:
 - temperature sensing
 - current measurement
 - battery safety optimization

Signal integrity & protection

- ESD (IEC 61000-4-2) on USB, RF, comm lines
- EMI coupling in compact, high-speed systems
- Sensitive BMS and control electronics

Interface & ESD protection

- ESD/TVS arrays for: USB-C, RF, CAN, communication lines
- Improves system robustness and reliability

Harsh & mission-critical environments

- Wide voltage range (12 V → 75 V → 270 V bus)
- Shock, vibration, moisture, temperature extremes
- Failure = mission loss (ISR/defense)


High-reliability & harsh environment solutions

- Automotive & MIL-grade capable components
- DO-160 compliance
- Designed for: hybrid UAVs, high-power systems, and defense applications




High-level drone and UAV system architecture (fuel/hybrid vs. battery-powered)

Fuel-powered/hybrid military UAV




Battery-powered drones





Fuel-Powered/ Hybrid Military UAV Systems

Littelfuse solutions for fuel-powered/hybrid military UAV system



1

Power conversion & DC Bus

Rectifier Diode



2

Power distribution


TVS Diode, Power Diode, MOSFET



3

Charger/ground power


Fuse, MOV, MOSFET, TVS Diode, Shottkey Diode



4

Battery backup

Fuse, PPTC, TTape™, TVS Diode Array, Switch



5

Connectivity & communications

TVS Diode, Diode Array, Polymer ESD



6

Sensor systems


Reed Sensor, Switch



Fuel-powered/hybrid military UAV system architecture and Littelfuse solutions mapping



Click the product series in the table below for more info




* ~270 V DC for high-load systems; converted to 28 V for avionics

	Technology	Function in Application	Product Series	AEC-Q/ MIL-Grade
1	Rectifier Diode	Converts AC line voltage to DC	AC Bridges, Diode Modules, Rectifier	
	TVS Diode	Clamps fast switching spikes from DC-DC converters	15KPA, 30KPA	TP8.0SMDJ SMD15KPA/HR (DO-160 Compliant), SMD30KPA/HR (DO-160 Compliant)
2	Power Diode	Rectification	Power Diode	
	MOSFET	Semiconductor switch	Si MOSFET	Automotive qualified
	Fuse	Input protection/overcurrent protection	216, 215, 314	MIL-PRF-23419 Fuses (592/593/594)
3	MOV	Surge suppression (AC input/charger front-end)	LA, CIII, TMOV, Xtreme	AUMOV, SM10 DSCC Qualified Parts List (QPL), TX Hi-Rel
	MOSFET	Semiconductor switch	Si MOSFET	Automotive qualified
	TVS Diode	DC output transient/surge protection	P6KE, P6SMB, SMBJ	TPSMB/TPSMC SMBJ-HR (DO-160 Compliant), SMDJ-HR (DO-160 Compliant)
	Power Diode	Rectification	Power Diode	

Fuel-powered/hybrid military UAV system architecture and Littelfuse solutions mapping



Click the product series in the table below for more info



* ~270 V DC for high-load systems; converted to 28 V for avionics




	Technology	Function in Application	Product Series	AEC-Q/ MIL-Grade
4	Fuse	Main pack fault isolation (high-energy short protection)	MIDI 70V , MAXI 58V , 871 , 881	263 PICO® Fuses , MICRO™ , 262/268/269
	Fuse/PPTC	Branch circuit overcurrent protection	438A , 437A/1812L	438A , 437A/1812L
	TTape™	Temperature monitoring	ITP	
	MOSFET	Battery disconnect/power path control (pre-charge support)	200V X4-Class	
	TVS Diode	DC bus surge and switching transient protection	TPSMD , TP5.0SMDJ , TPSMB-L	SMBLCE-HR/HRA , SMCLCE-HR/HRA (DO-160 Compliant)
	CSR	Pack charge/discharge current monitoring (BMS feedback)	WSTM-A , SSA	SSA
5	C&K® Switch	User control, service disconnect, and safety interlock	ZMS , LCS , KSC , ZMV , ATS	8020 , PBA , KSC , KSJ
	TVS Diode Array	ESD protection for BLE, WiFi, USB, etc	SP3213-01UTG , SP1006-01UTG	AQ24COM-02 , AQ1003
	Polymer ESD		PGB10402 , PGB10603	AXGD
6	TVS Diode	Transient protection	SMDJ	SMDLCE-HR/HRA (DO-160 Compliant)
	Reed Sensor	Position sensing (payload/actuator/safety)	59170	
	C&K® Switch	Various functions	KSC	



Commercial & Tactical UAV

Littelfuse solutions for commercial drone & tactical UAV systems




Expertise Applied | Answers Delivered

1

Battery charger

Fuse, MOV, MOSFET, TVS Diode, Shottkey Diode



4

Electronic speed controller


Fuse, TVS Diode, MOSFET, NTC



2

Li-ion battery protection

Fuse, PPTC, TTape™, Battery Protector, TVS Diode Array



5

Connectivity & communications

TVS Diode, Diode Array, Polymer ESD



3

Power distribution


TVS Diode, Power Diode, MOSFET



6

Sensor system


Reed Sensor, Switch



Commercial drone and UAV system architecture and Littelfuse solutions mapping



Click the product series in the table below for more info



* >1 kW: Higher-rated fuse, MOV, thermal, and output protection




	Technology	Function in Application	Product Series	AEC-Q
1	Dedicated Li-ion Battery Chargers (Commercial & Military UAVs) (15–60 V, 150 W–1 kW (typical); 48–100 V, 1–5+ kW (high power)*)			
	Fuse	Input protection/ overcurrent protection	216, 215, 314	
	MOV	Surge suppression (AC input/charger front-end)	LA, CIII, TMOV, Xtreme	AUMOV
	MOSFET	Semiconductor switch	Si MOSFET	Automotive qualified
	TVS Diode	DC output transient/ surge protection	P6KE, P6SMB, SMBJ	TPSMB/TPSMC
	Power Diode	Rectification	Power Diode	
2	Battery Protection >60 V (Commercial & Military Drones)			
	Fuse	Main pack fault isolation (high-energy short protection)	MIDI 70V, MAXI 58V	871, 881
	Fuse/PPTC	Branch circuit overcurrent protection	438A, 437A/1812L	438A, 437A
	TTape™	Temperature monitoring	TTP	
	MOSFET	Battery disconnect/power path control (pre-charge support)	200V X4-Class	
	TVS Diode	DC bus surge and switching transient protection	TPSMD, TP5.0SMDJ, TPSMB-L	TPSMD, TP5.0SMDJ, TPSMB-L
	CSR	Pack charge/discharge current monitoring (BMS feedback)	WSTM-A	SSA
	C&K® Switch	User control, service disconnect, and safety interlock	ZMS, LCS, KSC, ZMV, ATS	

Commercial drone and UAV system architecture and Littelfuse solutions mapping



Click the product series in the table below for more info



	Technology	Function in Application	Product Series	AEC-Q
3	TVS Diode	Clamps fast switching spikes from DC-DC converters	SMAJ, SMBJ, 5KP	TPSMB
	Power Diode	Rectification	Power Diode	
	MOSFET	Semiconductor switch	Si MOSFET	Automotive qualified
4	TVS Diode	Motor drive transient/ EMI protection	SMAJ, SMBJ, 5KP	TPSMB
	NTC	Thermal monitoring	RB	
5	TVS Diode Array	ESD protection for BLE, WiFi, USB, etc.	SP3213-01UTG, SP1006-01UTG	AQ24COM-02 AQ1003
	Polymer ESD		PGB10402, PGB10603	AXGD
6	Reed Sensor	Position sensing (payload/actuator/safety)	59170	
	C&K® Switch	Various function	KSC	
7	Ground Control and User Interface			



Expertise Applied | Answers Delivered

* >1 kW: Higher-rated fuse, MOV, thermal, and output protection



Legend:





Consumer Drones


Littelfuse solutions for consumer drone systems



Consumer drone architecture and Littelfuse solutions mapping



Click the product series in the table below for more info




	Technology	Function in Application	Product Series
1	USB-C for Consumer Drones (5–48 V, up to 240 W (typical 100–140 W))		
	Fuse	Protects power stage from overcurrent	218 , 373 , 443E
	MOV	Protects against voltage transients and lightning	LA , M3
	TVS Diode	Secondary protection against voltage transients	P6KE , P6SMB , 8.0SMDJ , 1.5SMB , SMF4L
	Bridge Diode	AC rectification (50/60 Hz)	Dxx15L
	Schottky Diode	Output rectification/reverse blocking	MBR , DST
	Temperature Indicator	Protects USB-C plugs and receptacle from overheating	SETP0805-100-CC
	Protection IC (eFuse)	Protects USB-C and USB-C PD from overcurrent and overvoltage	LS Series
2	Battery Protection for <60 V (Consumer Drones)		
	PPTC/MHP	Resettable overcurrent and overtemperature protection	LSP , MHP-TAT18
	Fuse OR Battery Protector	Secondary pack protection/ fail-safe overcurrent protection	881 , 688 OR ITV
	Fuse/PPTC	Branch or accessory line protection	458 OR 0805L
	CSR	Current sensing for charge/ discharge & BMS control	L4CL
	TVS Diode	Voltage transient protection	SMF , SMF4L

Consumer Drone Architecture and Littelfuse Solutions Mapping



Click the product series in the table below for more info




	Technology	Function in Application	Product Series
3	TVS Diode	Motor drive transient/EMI protection	SMAJ , SMBJ , 5KP
	NTC	Thermal monitoring	RB
4	TVS Diode Array	ESD protection for BLE, WiFi, USB, etc	SP3213-01UTG , SP1006-01UTG
	Polymer ESD		PGB10402 , PGB10603
5	Reed Sensor	Position sensing (payload/ actuator/safety)	59170
	C&K® Switch	Reset/On-Off	KSC
6	Remote Control		



Remote control

Remote control and Littelfuse solutions



1

USB

Digital Temp Indicator, PPTC,
TVS Diode Array, eFuse



3

Joystick

Polymer ESD,TVS Diode Array, Switch



2

On/Off switch

Tactile Switch



4

Load switching


Load Switch IC



Drone and UAV ground control system block diagram & solutions mapping



Click the product series in the table below for more info



	Technology	Function in Application	Product Series	MIL-Grade
1	Digital Temperature Indicator (USB-C)	Connector temperature monitoring/thermal protection	setP™	
	Protection IC (eFuse) (USB-C)	Overcurrent, overvoltage and short-circuit protection for USB input	LS0505EVD22 , LS0504EVT233 , LS0504EDD12	
	TVS Diode Array	ESD protection for USB data lines (high-speed interface)	SPHV-C , SC1205-01ETG , SP1021 , SP3021	
2	C&K® Switch	Power on/off, mode selection, user interface input	KMT0 , KSC7 , KMR4 , PTS645	KSC/KSJ (Tactile)
3	C&K® Switch	Joystick input/directional control for UAV operation	THB001P	MIL-DTL-83731F (Toggle) 8020, PBA (Pushbutton)
4	Load Switch IC	Power distribution control, subsystem on/off switching, battery load management	LQ0502 , LQ0504	




Drone Subsystems

USB-C PD charger

Appropriate for toy, camera hobby, and selected small smart-battery drones



Click the product series in the table below for more info.




	Technology	Function in Application	Product Series
1	Fuse	AC input overcurrent protection and fault isolation	218, 373, 443E
	MOV	AC mains surge/lightning transient suppression	LA, M3
2	TVS Diode	Primary-side switching transient suppression	P6KE, P6SMB, 8.0SMDJ, 1.5SMB, SMF4L
	Bridge Diode	AC rectification (50/60 Hz)	Dxx15L
3	Schottky Diode	Secondary rectification and reverse current blocking	MBR, DST
	Temperature Indicator	USB-C connector thermal monitoring/overheating protection	SETP0805-100-CC
	Protection IC (eFuse)	VBUS overcurrent, overvoltage, and short-circuit protection	LS Series
	TVS Diode Array	ESD protection for USB-C CC and high-speed data lines	SPHV-C, SC1205-01ETG, SP1021, SP3021

Dedicated Li-ion battery charger (<1 kW)

Appropriate for FPV, enterprise, industrial, and ISR drones



Click on the product series in the table below for more info



	Technology	Function in Application	Product Series
1	Fuse	AC input overcurrent and fault protection	5X20mm Fuse, TR3, TR5
	MOV	AC line surge protection	LA, CIII, TMOV
2	MOSFET	Primary power switching in PFC/DC-DC stage	Si MOSFET
	Power Diode	Rectification	Power Diode
	TVS Diode	Primary-side transient suppression	P6KE, P6SMB
3	Power Diode	Rectification	Power Diode
4	TVS Diode	Battery-side output transient protection	SMBJ

Battery swap, high-power charging, and hybrid UAV systems




System Type	Typical Drone Types	What Changes	Key Electrical Risks	Littelfuse Focus
Battery Swap Systems	Agriculture drones, delivery UAVs, ISR field systems	Frequent pack insertion/removal	Hot-plug, inrush current, connector wear, arcing	TVS at interface, fuse coordination, MOSFET/relay disconnect, current sensing, pack detection
High-Power Charging (>1 kW)	Agriculture, heavy-lift, industrial inspection	Higher voltage/current charging	Thermal stress, high fault energy, cable/connector heating	High interrupt fuse, high-energy MOV, power MOSFET, high-power TVS, thermal monitoring
Hybrid/Fuel (MALE/HALE)	Long-endurance ISR, military UAVs	Engine + generator + battery buffer	Load dump, unstable DC bus, high-energy transients	Robust TVS, HV fuse, power switching, isolation, MIL-grade components

Battery pack system architecture: <60 V

Appropriate for most drones (Camera, FPV, inspection mapping, small ISR)



Click the product series
in the table below for more info




	Technology	Function in Application	Product Series
1	NTC	Cell temperature sensing for BMS monitoring and protection	KC
	PolySwitch® Resettable Device OR MHP	Resettable overcurrent and overtemperature protection at cell/pack level	LSP OR MHP-TAT18
2	Fuse OR Battery Protector	Secondary protection (fail-safe cutoff during fault conditions)	881, 688 OR ITV
3	Fuse OR PolySwitch® Resettable Device	BMS protection	458 OR 0805L
	Current Sensing Resistor	Charge/discharge current measurement for BMS control	L4CL
4	TVS Diode	Clamp voltage transients on battery output/DC bus	SME, SMF4L

Battery pack system architecture: >60 V

Appropriate for large industrial drones such as agriculture, heavy lift, large ISR, etc.



Click the product series in the table below for more info




	Technology	Function in Application	Product Series
1	Fuse	Clears hard shorts; protects pack, wiring, and controller	MIDI 70V , MAXI 58V , 871 , 881 ,
2	Fuse OR PPTC	Protects the balancing circuit/ AFE	438A , 437A ,
	TVS Diode	Cell monitor IC sense line input overvoltage protection	1812L , TPSMB-L
3	NTC	Manages battery lifetime and helps identify hazardous temperature levels	Leaded , Surface Mount
	TTape™ Platform		TTP
4	MOSFET	Battery protection (hybrid/solid-state)	200V X4-Class
	TVS Diode	Protects against voltage spikes and transients	TPSMD , TP5.0SMDJ , SZ5KASMC
	Current Sensing Resistor	Measures pack charge/discharge current	WSTM-A , SSA
5	TVS Diode Array	Protects sensitive electronic ICs from ESD, EFT, and voltage spikes	AQ24COM-02 , AQ24COM-01
	PPTC	Resettable overcurrent protection	nanoASMD
6	Solid State Relay	Monitors isolation	LAA110 , LCA701 , CPC1009N
7	Reed Switch	Provides the control signal for the battery pack	MDSR-10
	C&K® Switch	Enables battery detection switching/anti-tamper protection	ZMS , ZMSM , LCS , KSC , ZMV , ZMW , ATS



Expertise Applied | Answers Delivered

BLDC motor protection architecture



	Technology	Function in Application	Product Series
1	Fuse	Protects the battery and downstream controller from damage due to inrush current, motor shorting, or external shorts at contacts	501
	TVS Diode	Protect battery pack from voltage transients	SMAJ , SMBJ , 5KP
2	NTC	Temperature sensing to prevent motor damage due to overheating	RB

Explore the world of Littelfuse with eCatalogs (ecatalogs.littelfuse.com)

Chemical names are available with a wide range of functionality requirements.



Increasing efficiency requirements and increasing power demands are driving new generation of chargers

10 W	20 W	40 W	100 W	200 W	500 W	1000 W
Typical applications						
Useful solutions						
Fast	Fast	Fast	Fast	Fast	Fast	Fast
270 pins	270 pins	270 pins	270 pins	270 pins	270 pins	270 pins
Single body	Single body	Single body	Single body	Single body	Single body	Single body
High temperature indicator	High temperature indicator	High temperature indicator	High temperature indicator	High temperature indicator	High temperature indicator	High temperature indicator

Power input and ports are integrated

Ultrabook


High efficiency
High power
High temperature indicator



Local resources supporting our global customers



Partner for tomorrow's electronic systems





Expertise Applied | Answers Delivered

Littelfuse.com

This document is provided by Littelfuse, Inc. ("Littelfuse") for informational and guideline purposes only. Littelfuse assumes no liability for errors or omissions in this document or for any of the information contained herein. Information is provided on an "as is" and "with all faults" basis for evaluation purposes only. Applications described are for illustrative purposes only and Littelfuse makes no representation that such applications will be suitable for the customer's specific use without further testing or modification. Littelfuse expressly disclaims all warranties, whether expressed, implied or statutory, including but not limited to the implied warranties of merchantability and fitness for a particular purpose, and non-infringement. It is the customer's sole responsibility to determine suitability for a particular system or use based on their own performance criteria, conditions, specific application, compatibility with other components, and environmental conditions. Customers must independently provide appropriate design and operating safeguards to minimize any risks associated with their applications and products. Read complete Disclaimer Notice at: www.littelfuse.com/disclaimer-electronics.



Market Analysis

Drone market forecast by platform type

- **Global Drone Market Reports**
 - Global drone market \$73.06B in 2024
 - Forecast \$163.6B by 2030
 - 14.3% CAGR (2025–2030)
 - <https://www.grandviewresearch.com/industry-analysis/drone-market-report>
- **Commercial/Industrial Drone Markets**
 - Commercial drone market \$30.02B in 2024
 - Forecast \$54.64B by 2030
 - 10.6% CAGR
 - <https://www.grandviewresearch.com/industry-analysis/global-commercial-drones-market>
- **Military Drone Market Report**
 - Military UAV market **\$15.8B in 2025**
 - Forecast \$22.8B by 2030
 - 7.6% CAGR
 - <https://www.marketsandmarkets.com/Market-Reports/military-drone-market-221577711.html>
- **Consumer Drone Market Report**
 - Consumer drone market \$4.1B in 2022
 - Forecast \$11.56B by 2030
 - 13.3% CAGR
 - <https://www.grandviewresearch.com/industry-analysis/consumer-drone-market>
- **Agriculture Drone Market Reports**
 - \$2.63B in 2025
 - Forecast \$10.76B by 2030
 - ~32% CAGR
 - <https://www.marketsandmarkets.com/Market-Reports/agriculture-drones-market-23709764.html>

Regional analysis

Category	North America	Asia-Pacific	Europe
Market Size (2024)	~\$29.1B	~27.7% of global drone market	~\$17.05B
Forecast (2030)	~\$62.4B	~\$49.2B	~\$36B+
CAGR (2025–2030)	~13.5%	~13%–15%	~13.4%
Market Position	Largest mature drone market globally	Fastest growing region and global manufacturing hub	Strong enterprise and industrial drone adoption
Key Growth Drivers	• Rising defense spending and ISR demand • Increasing enterprise adoption in utilities, construction, and oil & gas • FAA regulatory framework enabling commercial drone operations • Growth in drone delivery pilots and logistics innovation • Advancements in AI, sensors, and imaging technology	• Strong manufacturing ecosystem led by China • Rapid adoption of agriculture drones for crop spraying and monitoring • Government investments in robotics, automation, and smart infrastructure • Increasing demand for logistics and delivery drones • Expanding infrastructure inspection needs	• Increasing demand for infrastructure inspection (rail, bridges, pipelines) • Expansion of renewable energy inspection (wind turbines, solar farms) • EU regulatory framework enabling commercial drone operations • Growth in public safety and disaster monitoring applications • Defense modernization programs across EU and NATO
Key Applications	• Infrastructure inspection (power lines, pipelines, telecom towers) • Public safety and emergency response • Mapping and surveying for construction and mining • Drone delivery and logistics • Defense ISR and surveillance	• Agriculture spraying and crop monitoring • Infrastructure inspection and mapping • Logistics and delivery drones • Disaster monitoring and public safety • Industrial surveying	• Wind turbine inspection and renewable energy monitoring • Infrastructure inspection (railways, bridges) • Mapping and surveying • Public safety and border monitoring • Defense ISR drones
Regional Leaders	United States (dominant market), Canada (fastest growth), Mexico (emerging adoption)	China (largest manufacturing base), Japan (precision agriculture), India (infrastructure inspection and defense), South Korea (urban drone mobility), Australia (mining and inspection drones)	Germany (industrial adoption leader), France (fastest market growth), United Kingdom (enterprise and defense drones), Spain (consumer and mapping drones), Nordic countries (energy inspection drones)
Top Companies/ Ecosystem	Skydio, AeroVironment, Teledyne FLIR, Zipline, DroneDeploy	DJI, XAG, EHang, Terra Drone	Parrot, Delair, Quantum Systems, Tekever
Report Links	https://www.grandviewresearch.com/horizon/outlook/drone-market/north-america	https://www.grandviewresearch.com/horizon/outlook/drone-market/europe	https://www.grandviewresearch.com/horizon/outlook/drone-market/asia-pacific

List of drone manufacturers in China

OEM	HQ region	Primary drone subclass	Propulsion	Voltage class	Charging model	Website
DJI	China	Consumer/Enterprise/Agriculture	Electric	2S–4S; (Ag 12S–18S)	USB-C PD/Dock; (Ag kW fast + swap)	https://www.dji.com
Yuneec	China	Prosumer/Enterprise	Electric	2S–4S	AC/Dock	https://www.yuneec.com
Hubsan	China	Consumer/Toy	Electric	1S–3S	USB	https://www.hubsan.com
FIMI	China	Consumer camera	Electric	2S–4S	USB-C/AC	https://www.fimi.com
Zero Zero Robotics	China	Consumer camera	Electric	2S–3S	USB/Dock	https://www.zerozerorobotics.com
PowerVision	China	Prosumer	Electric	2S–4S	USB/AC	https://www.powervision.me
Holy Stone	China	Consumer	Electric	1S–3S	USB	https://www.holystone.com
Potensic	China	Consumer	Electric	2S–3S	USB/AC	https://www.potensic.com
SYMA	China	Toy	Electric	1S	USB	https://www.symatoys.com
JJRC	China	Toy	Electric	1S–2S	USB	https://www.jjrc.com
Walkera	China	Prosumer (legacy)	Electric	3S–6S	AC/balance charger	https://www.walkera.com
EHang	China	Industrial AAV	Electric	6S–12S	Dock/AC chargers	https://www.ehang.com
XAG	China	Agriculture sprayers	Electric	12S–18S	kW fast chargers + swap	https://www.xa.com
JOUAV	China	Fixed-wing/VTOL survey	Electric	6S–12S	AC chargers	https://www.jouav.com
MMC (Micro MultiCopter)	China	Industrial multirotor	Electric	6S–12S	Dock/AC chargers	https://www.mmcuav.com
FOXTECH	China	Industrial UAV platforms	Electric	6S–12S	AC chargers	https://www.foxtechfpv.com
AVIC (UAS)	China	Defense UAVs	Fuel	Aircraft 28V bus	Ground support	http://www.avic.com
CASC (UAS)	China	Defense UAVs	Fuel	Aircraft 28V bus	Ground support	http://www.spacechina.com
CATIC (UAS)	China	Defense export UAVs	Fuel	Aircraft 28V bus	Ground support	http://www.catic.com.cn
XAG (alt listing)	China	Agriculture sprayers	Electric	12S–18S	kW fast chargers + swap	https://www.xa.com
MMC (alt listing)	China	Industrial multirotor	Electric	6S–12S	Dock/AC chargers	https://www.mmcuav.com
JOUAV (alt listing)	China	Fixed-wing/VTOL survey	Electric	6S–12S	AC chargers	https://www.jouav.com
Autel Robotics	China/USA	Consumer/Enterprise	Electric	2S–4S	USB-C PD/Dock	https://www.autelrobotics.com
Ryze Tech (Tello)	Hong Kong	Toy/Education	Electric	1S–2S	USB	https://www.ryzerobotics.com

List of drone manufacturers in rest of Asia (India, Japan, Korea, Singapore & Malaysia)

OEM	HQ region	Primary drone subclass	Propulsion	Voltage class	Charging model	Website
ideaForge	India	Industrial/ISR	Electric	6S–12S	AC chargers	https://www.ideaforge.co.in
Garuda Aerospace	India	Industrial/Ag	Electric	6S–12S; (Ag 12S–18S)	AC; (Ag fast swap)	https://www.garudaaerospace.com
Asteria Aerospace	India	ISR	Electric	6S–12S	AC chargers	https://asteria.co.in
NewSpace R&T	India	ISR	Electric	6S–12S	AC chargers	https://newspace.co
Marut Drones	India	Agriculture sprayers	Electric	12S–18S	kW fast chargers + swap	https://marutdrones.com
Yamaha Motor (UAV)	Japan	Ag helicopter UAV	Fuel	Aircraft bus	Ground support	https://global.yamaha-motor.com
Terra Drone (platform arm)	Japan	Industrial UAVs	Electric	6S–12S	AC chargers	https://terra-drone.net
ACSL	Japan	Industrial/security UAVs	Electric	6S–12S	AC chargers	https://www.acsl.co.jp/en
PRODRONE	Japan	Heavy-lift industrial UAVs	Electric	12S–14S	High-power AC chargers	https://www.prodrone.com
Doosan Mobility Innovation	Korea	Fuel-cell UAVs	Electric (fuel-cell)	24–60V DC	Dedicated system chargers	https://www.doosanmobility.com
Aonic (Poladrone)	Malaysia	Industrial UAVs	Electric	6S–12S	AC chargers	https://aonic.com
ST Engineering (UAS)	Singapore	Industrial/Defense UAVs	Fuel/Electric	varies	Ground support / AC	https://www.stengg.com

List of drone manufacturers in Europe

OEM	HQ region	Primary drone subclass	Propulsion	Voltage class	Charging model	Website
Schiebel	Austria	Rotary VTOL ISR	Fuel	Aircraft 28 V bus	Ground support	https://schiebel.net
Dronamics	Bulgaria/UK	Cargo fixed-wing	Fuel	Aircraft 28 V bus	Ground support (GPU)	https://dronamics.com
Primoco UAV	Czechia	Tactical ISR	Fuel	Aircraft 28 V bus	Ground support	https://www.primocouav.com
Primoco UAV SE (alt listing)	Czechia	Tactical ISR	Fuel	Aircraft 28 V bus	Ground support	https://www.primocouav.com
Airbus Defence	EU	Defense UAV programs	Fuel	Aircraft 28 V bus	Ground support (GPU)	https://www.airbus.com
Parrot	France	Prosumer/Enterprise	Electric	2S–4S	USB/dock	https://www.parrot.com
Delair	France	Industrial fixed-wing	Electric	6S–12S	AC chargers	https://delair.aero
Elistair	France	Tethered UAV systems	Electric (tethered)	Tether DC	Tether PSU (continuous)	https://elistair.com
DroneVOLT	France	Industrial multirotor	Electric	6S–12S	AC chargers	https://www.dronevolt.com
Altigator	France	Industrial multirotor	Electric	6S–12S	AC chargers	https://altigator.com
Survey Copter	France	Industrial UAVs	Electric	6S–12S	AC chargers	https://www.surveycopter.com
Azur Drones	France	Drone-in-a-box (OEM)	Electric	6S–12S	Dock station	https://www.azurdrones.com
Thales	France	Defense UAV programs	Fuel	Aircraft 28 V bus	Ground support (GPU)	https://www.thalesgroup.com
Microdrones	Germany	Survey/inspection	Electric	6S–12S	Dock/AC chargers	https://www.microdrones.com
Quantum Systems	Germany	VTOL ISR/mapping	Electric	6S–12S	AC chargers	https://quantum-systems.com
Wingcopter	Germany	Delivery VTOL	Electric	6S–12S	Dock/depot chargers	https://wingcopter.com
Rheinmetall	Germany	Defense UAV programs	Fuel/Electric	Aircraft bus/varies	Ground support	https://www.rheinmetall.com
Microdrones (alt listing)	Germany	Survey/inspection	Electric	6S–12S	Dock/AC chargers	https://www.microdrones.com
Leonardo	Italy	Defense UAV programs	Fuel	Aircraft 28 V bus	Ground support (GPU)	https://www.leonardo.com
Manna Aero	Ireland	Delivery	Electric	6S–12S	Depot dock chargers	https://www.manna.aero
ABZ Innovation	Latvia	Agriculture sprayers	Electric	12S–18S	Fast chargers + swap	https://abzinnovation.com
UAV Factory (now Edge Autonomy brand)	Latvia	Tactical ISR fixed-wing	Fuel	Aircraft 28 V bus	Ground support	https://edgeautonomy.io

List of drone manufacturers in Europe

OEM	HQ region	Primary drone subclass	Propulsion	Voltage class	Charging model	Website
DeltaQuad	Netherlands	VTOL fixed-wing	Electric	6S–12S	AC chargers	https://deltaquad.com
Avy	Netherlands	VTOL fixed-wing	Electric	6S–12S	AC chargers	https://avy.eu
Griff Aviation	Norway	Heavy-lift multirotor	Electric	12S–14S	High-power AC chargers	https://griffaviation.com
Griff Aviation (alt listing)	Norway	Heavy-lift multirotor	Electric	12S–14S	High-power AC chargers	https://griffaviation.com
Kray Technologies	Poland	Agriculture sprayers	Electric	12S–18S	Fast chargers + swap	https://kray.co
Kray Technologies	Poland	Agriculture sprayers	Electric	12S–18S	Fast chargers + swap	https://kray.co
Tekever	Portugal	Long-endurance ISR	Hybrid/Fuel	Aircraft bus/hybrid DC	Ground support	https://www.tekever.com
Saab	Sweden	Defense UAV programs	Fuel	Aircraft 28 V bus	Ground support (GPU)	https://www.saab.com
UMS Skeldar	Sweden	Rotary VTOL ISR	Fuel	Aircraft 28 V bus	Ground support	https://umsskeldar.aero
senseFly (legacy brand)	Switzerland	Fixed-wing mapping	Electric	4S–6S	AC chargers	https://www.sensefly.com
Wingtra	Switzerland	VTOL mapping	Electric	6S–12S	AC chargers	https://wingtra.com
Flyability	Switzerland	Indoor inspection	Electric	4S–6S	Dock/AC	https://www.flyability.com
Fotokite	Switzerland	Tethered public safety UAV	Electric (tethered)	Tether DC	Tether PSU (continuous)	https://fotokite.com
Baykar	Turkey	MALE combat UAV	Fuel	Aircraft 28 V bus	Ground support	https://baykartech.com
Turkish Aerospace	Turkey	MALE/HALE UAVs	Fuel	Aircraft 28 V bus	Ground support	https://www.tusas.com
STM	Turkey	Tactical ISR/loitering	Electric/Fuel	4S–12S/aircraft bus	Chargers/ground	https://www.stm.com.tr
BAE Systems	UK	Defense UAV programs	Fuel	Aircraft 28 V bus	Ground support (GPU)	https://www.baesystems.com
Denchi / Windracers (UK)	UK	Cargo fixed-wing UAVs	Fuel	Aircraft 28 V bus	Ground support	https://www.windracers.com
UAVOS	UK/Latvia	VTOL/fixed-wing	Electric/Hybrid	6S–12S	AC chargers	https://www.uavos.com
Skyeton	Ukraine	Fixed-wing ISR	Fuel/Electric	Aircraft bus/6S–12S	Ground support	https://skyeton.com
Ukrspesystems	Ukraine	Tactical ISR	Fuel/Electric	Aircraft bus/6S–12S	Ground support	https://ukrspesystems.com
Denel Dynamics	South Africa	Tactical ISR	Fuel	Aircraft 28 V bus	Ground support	https://www.deneldynamics.co.za

List of drone manufacturers in Israel

OEM	HQ region	Primary drone subclass	Propulsion	Voltage class	Charging model	Website
UVision	Israel	Loitering munitions	Electric	4S–6S	Dedicated chargers	https://uvisionuav.com
Percepto	Israel	Drone-in-a-box (OEM)	Electric	6S–12S	Dock charging station	https://percepto.co
Airobotics	Israel	Drone-in-a-box (OEM)	Electric	6S–12S	Dock charging station	https://www.airoboticsdrones.com
IAI	Israel	Tactical/strategic ISR	Fuel	Aircraft 28V bus	Ground support	https://www.iai.co.il
Elbit Systems	Israel	Tactical ISR	Fuel/Electric	Aircraft bus/6S–12S	Ground support / chargers	https://elbitsystems.com
Aeronautics	Israel	Tactical ISR	Fuel/Electric	Aircraft bus / 6S–12S	Ground support	https://aeronautics-sys.com

List of drone manufacturers in USA, Canada, and Brazil

OEM	HQ region	Primary drone subclass	Propulsion	Voltage class	Charging model	Website
Easy Aerial	USA	Tethered/security	Electric	6S–12S (or tether DC)	Dock/tether PSU	https://easyaerial.com
AgEagle	USA	Fixed-wing mapping	Electric	6S–12S	AC chargers	https://ageagle.com
Zipline (aircraft OEM)	USA	Delivery fixed-wing/VTOL	Electric/Hybrid	6S–12S/hybrid DC	Depot chargers/swap	https://www.flyzipline.com
Volansi	USA	Cargo VTOL	Hybrid/Electric	6S–12S/hybrid DC	Depot chargers/ground	https://volansi.com
Hylío	USA	Agriculture sprayers	Electric	12S–18S	kW fast chargers + swap	https://www.hyl.io
Guardian Agriculture	USA	Large ag UAV	Hybrid/Electric	12S–18S/hybrid DC	Fast charge/ground	https://www.guardian.ag
AeroVironment	USA	Tactical ISR/loitering	Electric	2S–6S	Dedicated chargers	https://www.avinc.com
Insitu (Boeing)	USA	Tactical ISR fixed-wing	Fuel	Aircraft 28V bus	Ground support	https://www.insitu.com
General Atomics (GA-ASI)	USA	MALE/HALE UAVs	Fuel	Aircraft 28V bus	Ground support	https://www.ga-asi.com
Northrop Grumman	USA	HALE UAVs	Fuel	Aircraft 28V bus	Ground support	https://www.northropgrumman.com
Kratos Defense	USA	Attritable UAVs	Fuel	Aircraft 28V bus	Ground support	https://www.kratosdefense.com
Lockheed Martin	USA	Defense UAV programs	Fuel	Aircraft 28V bus	Ground support (GPU)	https://www.lockheedmartin.com
Boeing Defense	USA	Defense UAV programs	Fuel	Aircraft 28V bus	Ground support (GPU)	https://www.boeing.com
Hylío	USA	Agriculture sprayers	Electric	12S–18S	kW fast chargers + swap	https://www.hyl.io
Guardian Agriculture	USA	Large ag UAVs	Hybrid/Electric	12S–18S/hybrid	Fast charge/ground	https://www.guardian.ag
PDW	USA	Dual-use UAVs	Electric	6S–12S	AC chargers	https://pdw.ai
Cleo Robotics	USA	Indoor ducted UAVs	Electric	2S–4S	Dock/AC	https://cleorobotics.com
Corvus Robotics	USA	Indoor inventory UAVs	Electric	2S–4S	Dock station	https://www.corvusrobotics.com
Action Drone USA	USA	Industrial UAVs	Electric	6S–12S	AC chargers	https://actiondroneusa.com
Edge Autonomy	USA/EU	ISR UAVs	Fuel/Hybrid	Aircraft bus/hybrid	Ground support	https://edgeautonomy.io

List of drone manufacturers in USA, Canada, and Brazil

OEM	HQ region	Primary drone subclass	Propulsion	Voltage class	Charging model	Website
Skydio	USA	Inspection/Public safety	Electric	2S–6S	Dock/AC chargers	https://www.skydio.com
Freefly Systems	USA	Heavy-lift cinema	Electric	12S–14S	High-power AC chargers	https://freeflysystems.com
Inspired Flight	USA	Heavy-lift industrial	Electric	12S–14S	High-power AC chargers	https://inspiredflight.com
Ascent AeroSystems	USA	Rugged industrial multirotor	Electric	6S–12S	Dock/AC chargers	https://ascentaerosystems.com
XMobots	Brazil	Fixed-wing ISR/mapping	Electric/Hybrid	6S–12S/hybrid DC	AC chargers/ground	https://www.xmobots.com.br
Dronamics	Bulgaria/UK	Cargo fixed-wing	Fuel	Aircraft 28V bus	Ground support (GPU)	https://dronamics.com
Draganfly	Canada	Industrial/public safety	Electric	6S–12S	Dock / AC chargers	https://draganfly.com



System Analysis

Drone classification by battery voltages

Sector	Subclass	Typical size/MTOW	Propulsion	Battery/fuel & voltage	Motor/engine type	Typical motor power	Typical missions
Games/ Hobby	Toy/Micro drones	<100 g	Electric	1S LiPo (3.0-4.2 V)	Brushed or tiny BLDC outrunners	5–20 W per motor	Indoor flying, games
	Camera hobby drones	250 g–1 kg	Electric	2S–4S Li-ion/LiPo (7.4–16.8V)	Small BLDC outrunners	50–200 W per motor	Casual aerial photo/video
	FPV racing/freestyle	300 g–1.5 kg	Electric	4S–8S LiPo (14.8–33.6 V)	High-KV BLDC outrunners	200 –1.5 kW peak	Racing, acrobatics
Commercial & Industrial	Inspection/mapping multirotors	1–5 kg	Electric	4S–12S Li-ion/LiPo (15–48 V)	Efficient BLDC outrunners	200–800 W per motor	Powerline, bridge, roof inspection
	Agricultural sprayers	20–150+ kg MTOW	Electric (some hybrid)	12S–18S (44–75.6 V)	High-torque industrial BLDC motors, sealed	1–5+ kW per motor	Crop spraying, seeding, fertilizing
	Heavy-lift/Cameras / Logistics drones	10–40 kg MTOW	Electric	12S–14S LiPo (44–52 V)	Large BLDC outrunners/ inrunners	2–8 kW per motor	Film cameras, LiDAR, Delivery
	Fixed-wing survey UAVs	2–10 kg	Electric or hybrid	6S–12S (22–48 V)	BLDC motor + propeller	500 W–3 kW	Long-range mapping
Military/ Defense	Nano/squad ISR	< 500 g	Electric	2S–4S Li-ion/LiPo (7.4–15 V)	Small BLDC motors	20–100 W per motor	Urban recon, patrol
	Loitering munitions	2–10 kg	Electric	4S–6S Li-ion/LiPo (15–25 V)	BLDC motors	300 W–1.5 kW	Precision strike
	Tactical ISR (company/battalion)	5–30 kg	Electric or small ICE	Battery or fuel + DC bus	BLDC motors or small piston engines	1–5 kW (electric)	Medium-range ISR
	MALE/HALE UAVs	500+ kg	Fuel-powered	Aviation fuel + 28 V DC bus	Piston or turboprop engines	100–900+ kW shaft power	Long-endurance ISR, strike

Charging assumptions by drone class

Sector	Subclass	Battery/Voltage	Typical Pack Energy	Charging Method	Charger Power Class	Key Charging Assumptions / Notes
Games / Hobby	Toy/Micro drones	1S LiPo (3.7 V)	2–10 Wh	USB-A / USB-C trickle charge (in-drone)	5–15 W	Very low cost; slow charging acceptable; minimal thermal management
	Camera hobby drones	2S–4S Li-ion/LiPo (7.4–15.4 V)	20–80 Wh	USB-C PD; desktop dock chargers	30–100 W	Home/car charging; user convenience prioritized; smart battery packs common
	FPV racing/ freestyle	4S–6S LiPo (14.8–25.2 V)	50–150 Wh	Balance chargers (AC/DC); field chargers (vehicle power); USB-C PD for top-up	500–2000 W	Field charging common; turnaround time prioritized over battery cycle life
Commercial & Industrial	Inspection/ mapping multirotors	4S–12S Li-ion/LiPo (15–48 V)	80–300 Wh	Desktop AC chargers; multi-bay docks; vehicle DC chargers	150–500 W per bay	Hot-swappable packs; fleet ops; moderate turnaround time acceptable
	Agricultural sprayers	12S–18S (44–75 V)	500–3,000+ Wh	Fast chargers; battery swap stations; DC-input chargers from vehicles/generators	1–5+ kW per bay	Battery swapping core to workflow; near-continuous field operation
	Heavy-lift cameras/ logistics drones	12S–14S LiPo (44–52 V)	300–1,500+ Wh	High-power AC chargers; parallel charging racks; generators	1–2 kW per bay	On-set fast turnaround; multiple packs charged in parallel
	Fixed-wing survey UAVs	6S–12S Li-ion/LiPo (22–48 V)	100–400 Wh	Desktop AC chargers; vehicle-powered DC chargers	200–800 W per bay	Fewer packs; longer missions; field charging common
Military / Defense	Nano/squad ISR	2S–4S Li-ion/LiPo (7.4–15 V)	10–40 Wh	Ruggedized AC/DC chargers; vehicle-powered DC chargers	50–150 W	Man-portable systems; charging from vehicle or portable generators
	Loitering munitions	4S–6S Li-ion/LiPo (15–25 V)	50–200 Wh	Ruggedized field chargers; vehicle DC power	100–300 W	Pre-mission charging; single-use systems
	Tactical ISR (company/ battalion)	Battery packs or hybrid DC bus	200–1,000 Wh (battery portion)	Ground power units; field chargers; vehicle DC supplies	500 W – multi-kW	Ruggedized charging; logistics-driven; hybrid systems common
	MALE/HALE UAVs	Aviation fuel + 28 V DC bus	Battery is auxiliary (kWh-class buffer)	Ground power units; hangar infrastructure	Multi-kW to tens of kW	Battery used mainly as buffer/backup; propulsion energy from fuel

Motor drive topology, MOSFET count, and voltage class

Sector	Subclass	Typical motors	Motor type	Drive topology	Power MOSFETs per motor (typical)	Total power MOSFETs on aircraft (typical)	Typical MOSFET voltage class	Notes / variants
Consumer	Toy/Micro (brushed)	4 (quad)	Brushed DC	H-bridge per motor	4	16	12–20 V	Cheapest toys may use low-side switches only (not full H-bridge)
	Toy/Micro (tiny BLDC)	4	BLDC	3-phase inverter (ESC)	6	24	12–20 V	Often integrated driver + FET in one chip/module
	Camera hobby drones	4	BLDC	3-phase inverter (ESC)	6	24	30–40 V	Sometimes ESCs are on separate arms or boards
	FPV racing/freestyle	4	BLDC	3-phase inverter (ESC)	6 (often 12 effective)	24–48	30–40 V	Higher current; MOSFETs often paralleled per switch
Commercial / Industrial	Inspection/mapping multirotors	4 or 6	BLDC	3-phase inverter (ESC)	6	24–36	60–80 V	Enterprise platforms often go hex for redundancy
	Heavy-lift/Cameras/Logistics drones	6–8 (hex/octo)	BLDC	3-phase inverter (ESC)	6 (often 12 effective)	36–96	60–100 V	Power stages commonly use paralleled MOSFETs per phase leg
	Agricultural sprayers	6–8 (often coaxial)	BLDC	3-phase inverter (ESC)	6 (often 12 effective)	36–96	100–150 V	High continuous torque; rugged ESCs; strong EMI filtering
Military / Defense	Nano/squad ISR	4	BLDC	3-phase inverter (ESC)	6	24	20–30 V	Emphasis on low acoustic noise and efficiency; FOC common
	Loitering munitions	1 (fixed wing) or 4 (VTOL)	BLDC	3-phase inverter (ESC)	6	6 (fixed-wing) or 24 (VTOL)	30–60 V	Fixed-wing variants usually single-motor
	Tactical ISR	1–2 (fixed wing) or 4 (VTOL)	BLDC or ICE	3-phase inverter (electric) or ECU (ICE)	6 (electric)	6–24	60–150 V (electric variants)	Many tactical ISR platforms are fixed-wing single-motor
	MALE/HALE UAVs	1 engine	Turboprop or piston	FADEC + generator	N/A	N/A	N/A (not propulsion ESC)	Power MOSFETs used in generators and power distribution, not main propulsion drive



Expertise Applied | Answers Delivered

Littelfuse.com

This document is provided by Littelfuse, Inc. ("Littelfuse") for informational and guideline purposes only. Littelfuse assumes no liability for errors or omissions in this document or for any of the information contained herein. Information is provided on an "as is" and "with all faults" basis for evaluation purposes only. Applications described are for illustrative purposes only and Littelfuse makes no representation that such applications will be suitable for the customer's specific use without further testing or modification. Littelfuse expressly disclaims all warranties, whether expressed, implied or statutory, including but not limited to the implied warranties of merchantability and fitness for a particular purpose, and non-infringement. It is the customer's sole responsibility to determine suitability for a particular system or use based on their own performance criteria, conditions, specific application, compatibility with other components, and environmental conditions. Customers must independently provide appropriate design and operating safeguards to minimize any risks associated with their applications and products. Read complete Disclaimer Notice at: www.littelfuse.com/disclaimer-electronics.